

Amendments to the Claims:

Please cancel claim 4.

Please amend claims 1-3 and 5-22.

These amendments introduce no new matter and support for the amendment is replete throughout the specification and claims as originally filed. These amendments are made without prejudice and are not to be construed as abandonment of the previously claimed subject matter, or agreement with any objection or rejection of record.

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently amended) An apparatus for housing a product comprising:
a frame having an opening and mounted on or in a surface; ~~and~~
a member moveable within the frame and for securing the product; and
a pivot assembly connecting the frame to the member, thereby enabling
movement of the member between a first position and a second position;
such that in the ~~wherein the member is moveable between a first position in~~
~~which the product is concealed from view, and in the~~ a second position in which the
product is in view and accessible by a user.
2. (Currently amended) ~~A~~ The apparatus according to claim 1, wherein the member substantially covers ~~an~~ the opening ~~through of~~ the frame in the first position.
3. (Currently amended) ~~A~~ The apparatus according to claim 1, ~~or claim 2~~
wherein the member substantially covers ~~and the~~ opening of ~~through~~ the frame in the second position.
4. (Cancelled)

BEST AVAILABLE COPY

5. (Currently amended) ~~A~~ The apparatus according to ~~claim 4~~ claim 1, wherein the member comprises a panel having four sides that fits within the frame and is rotatable within the frame through the pivot ~~means~~ assembly, the frame constructed of four sections.

6. (Currently amended) ~~A~~ The apparatus according to claim 5, wherein an elongate bar is attached adjacent opposite sides of ~~a~~ the four sided panel and in which is formed a portion of the pivot ~~means~~ assembly.

7. (Currently amended) ~~A~~ The apparatus according to claim 6, wherein the pivot ~~means~~ assembly comprises:
a rod attached to or formed in each of the elongate bars; and
a bush formed in corresponding sides sections of ~~a four sided~~ the frame for receiving a respective rod.

8. (Currently amended) ~~A~~ The apparatus according to claim 7, wherein the panel resides level with the frame in each of the first and second positions.

9. (Currently amended) ~~A~~ The apparatus according to claim 8, wherein the panel rotates up to 360 degrees about the pivot ~~means~~ assembly.

10. (Currently amended) ~~A~~ The apparatus according to claim 8, further comprising one or more recesses in at least one section of the frame to enable cables to be connected to the product without interfering with the movement of the product and the member.

11. (Currently amended) ~~A~~ The apparatus according to ~~claim 4~~ claim 1, wherein the member ~~includes~~ comprises a first panel and a second panel connected by one or more side frames.

12. (Currently amended) ~~A~~ The apparatus according to claim 11, wherein the first panel is level with the frame and ~~closes~~ substantially covers the opening in the first position.

13. (Currently amended) A The apparatus according to claim 11 or claim 12, wherein the second panel is level with the frame and ~~closes~~ substantially covers the opening in the second position.

14. (Currently amended) A The apparatus according to claim 13 claim 11, wherein a portion of the first panel is connected to the frame through the pivot ~~means~~ assembly.

15. (Currently amended) A The apparatus according to claim 14, wherein the first panel ~~has~~ comprises a pair of legs extending therefrom, a distal end of each leg being connected to the frame through the pivot ~~means~~ assembly.

16. (Currently amended) A The apparatus according to claim 15 wherein the pivot ~~means-assembly~~ comprises a rod attached to or formed in each of the legs and a bush formed in opposing sections of the corresponding sides of a four-sided frame for receiving a respective rod, the frame comprising four sections.

17. (Currently amended) A The apparatus according to claim 16, wherein each side frame is shaped to enable the first panel to remain level with and in the frame in the first position and to enable the second panel to remain level with and in the frame in the second position.

18. (Currently amended) A The apparatus according to claim 17, wherein each side frame comprises ~~four-sections~~ segments joined in the shape of a quadrilateral, with ~~a-section~~ segment joined respectively to the first panel and the second panel.

19. (Currently amended) A The apparatus according to any one of claims 4 to 18 claim 1, wherein a motor is connected to the pivot ~~means-assembly~~ in order to control the pivot ~~means-assembly~~ to operate the member to move between the first position and the second position.

20. (Currently amended) A The apparatus according to claim 19, wherein the motor is remote controlled.

BEST AVAILABLE COPY

21. (Currently amended) ~~A~~ The apparatus according to ~~any one of the previous claims~~ claim 1, wherein the product is any one of: a projector unit, keyboard, telephone or monitor.

22. (Currently amended) Apparatus according to ~~any one of the previous claims~~ claim 1, wherein the surface is any one of: a ceiling, wall, floor, desktop or a part of a piece of furniture.

BEST AVAILABLE COPY